



ACOUSTICAL PERFORMANCE RATING
CERTIFICATION PROGRAM
ATI-AA676

Acoustical Performance Certification Program

Certified Product List for:

Company: **Graham Architectural Products Corporation**

Corporate Address: 1551 Mount Rose Avenue
York, Pennsylvania 17403

Plant Location: 1221 Elm Street
York, Pennsylvania 17403

Website: www.grahamwindows.com

Phone: 1-800-755-6274

Facsimile: 717-849-8148

Participant Since: June 2004

Note: The manufacturer posted on this Acoustical Performance Certification Listing is a participant in good-standing in the Architectural Testing Acoustical Performance Certification Program. The products listed have been verified by Architectural Testing during unannounced manufacturing site audits. This Acoustical Performance Certification Listing is not an endorsement of the manufacturer or products listed herein.



ACOUSTICAL PERFORMANCE RATING
CERTIFICATION PROGRAM
ATI-AA676

Acoustical Performance Certification Program

Certified Product List for:

Company: **Graham Architectural Products Corporation**

Product : **Series/Model:** V6900-Light Performance Class
Type: Casement Window with Access Panel
Size Tested: Width: 23-5/8", Height: 59"
Glazing: Primary: 3/4" IG (1/4" annealed, 3/4" air space, 1/8" annealed)
Secondary: 3/16" annealed, Primary to Secondary air gap: 2-3/16"
Referenced Report: Architectural Testing, Inc. 92041.01-113-11
Test Date: May 26, 2009
Expiration Date: May 26, 2013
Test Method: ASTM E90 - Version 2004
Test Results: Sound Transmission Class (STC): **44**
Outdoor-Indoor Transmission Class (OITC): **36**

Note: The manufacturer posted on this Acoustical Performance Certification Listing is a participant in good-standing in the Architectural Testing Acoustical Performance Certification Program. The products listed have been verified by Architectural Testing during unannounced manufacturing site audits. This Acoustical Performance Certification Listing is not an endorsement of the manufacturer or products listed herein.



ACOUSTICAL PERFORMANCE RATING
CERTIFICATION PROGRAM
ATI-AA676

Acoustical Performance Certification Program

Certified Product List for:

Company: **Graham Architectural Products Corporation**

Product : **Series/Model:** V6900-Light Performance Class
Type: Casement Window with Access Panel
Size Tested: Width: 23-5/8", Height: 59"
Glazing: Primary: 3/4" IG (1/8" annealed, 1/2" air space, 1/8" annealed)
Secondary: 3/16" annealed, Primary to Secondary air gap: 2-1/2"
Referenced Report: Architectural Testing, Inc. 92042.01-113-11
Test Date: May 27, 2009
Expiration Date: May 27, 2013
Test Method: ASTM E90 - Version 2004
Test Results: Sound Transmission Class (STC): **43**
Outdoor-Indoor Transmission Class (OITC): **36**

Note: The manufacturer posted on this Acoustical Performance Certification Listing is a participant in good-standing in the Architectural Testing Acoustical Performance Certification Program. The products listed have been verified by Architectural Testing during unannounced manufacturing site audits. This Acoustical Performance Certification Listing is not an endorsement of the manufacturer or products listed herein.



ACOUSTICAL PERFORMANCE RATING
CERTIFICATION PROGRAM
ATI-AA676

Acoustical Performance Certification Program

Certified Product List for:

Company: **Graham Architectural Products Corporation**

Product : **Series/Model:** V3900
Type: Dual Double Hung Window
Size Tested: Width: 47-1/4", Height: 59"
Glazing: Primary (exterior): 1" IG (1/8" annealed, 3/4" air space, 1/8" annealed)
Secondary (interior): 3/16" annealed, Primary to Secondary air gaps:
top 2", bottom 1-5/8"
Referenced Report: Architectural Testing, Inc. 92100.01-113-11
Test Date: June 2, 2009
Expiration Date: June 2, 2013
Test Method: ASTM E90 - Version 2004
Test Results: Sound Transmission Class (STC): **42**
Outdoor-Indoor Transmission Class (OITC): **31**

Note: The manufacturer posted on this Acoustical Performance Certification Listing is a participant in good-standing in the Architectural Testing Acoustical Performance Certification Program. The products listed have been verified by Architectural Testing during unannounced manufacturing site audits. This Acoustical Performance Certification Listing is not an endorsement of the manufacturer or products listed herein.



ACOUSTICAL PERFORMANCE RATING
CERTIFICATION PROGRAM
ATI-AA676

Acoustical Performance Certification Program

Certified Product List for:

Company: **Graham Architectural Products Corporation**

Product : **Series/Model:** V0400
Type: Dual Horizontal Sliding Window
Size Tested: Width: 59", Height: 47-1/4"
Glazing: Primary (exterior): 1" IG (1/8" annealed, 3/4" air space, 1/8" annealed)
Secondary (interior): 3/16" annealed, Primary to Secondary air
gaps: exterior: 2-1/8", interior: 1-7/8"
Referenced Report: Architectural Testing, Inc. 92101.01-113-11
Test Date: June 2, 2009
Expiration Date: June 2, 2013
Test Method: ASTM E90 - Version 2004
Test Results: Sound Transmission Class (STC): **43**
Outdoor-Indoor Transmission Class (OITC): **30**

Note: The manufacturer posted on this Acoustical Performance Certification Listing is a participant in good-standing in the Architectural Testing Acoustical Performance Certification Program. The products listed have been verified by Architectural Testing during unannounced manufacturing site audits. This Acoustical Performance Certification Listing is not an endorsement of the manufacturer or products listed herein.



ACOUSTICAL PERFORMANCE RATING
CERTIFICATION PROGRAM
ATI-AA676

Acoustical Performance Certification Program

Certified Product List for:

Company: **Graham Architectural Products Corporation**

Product : **Series/Model:** 0900
Type: Sliding Glass Door
Size Tested: 71-3/4" by 79-3/4"
Glazing: 1-5/32" IG (9/32" laminated, 19/32" air space, 9/32" laminated),
glass temperature 75°F
Referenced Report: Architectural Testing, Inc. 95781.01-113-11
Test Date: October 28, 2009
Expiration Date: October 28, 2013
Test Method: ASTM E90 - Version 2009; ASTM E1425 – Version 2007
Test Results: Sound Transmission Class (STC): **38**
Outdoor-Indoor Transmission Class (OITC): **32**

Note: The manufacturer posted on this Acoustical Performance Certification Listing is a participant in good-standing in the Architectural Testing Acoustical Performance Certification Program. The products listed have been verified by Architectural Testing during unannounced manufacturing site audits. This Acoustical Performance Certification Listing is not an endorsement of the manufacturer or products listed herein.



ACOUSTICAL PERFORMANCE RATING
CERTIFICATION PROGRAM
ATI-AA676

Acoustical Performance Certification Program

Certified Product List for:

Company: **Graham Architectural Products Corporation**

Product : **Series/Model:** V0800
Type: Sliding Glass Door
Size Tested: 71.9" by 79.7"
Glazing: 1" IG (1/4" laminated exterior, 1/2" air space, 1/4" annealed interior)
Referenced Report: Architectural Testing, Inc. 98709.01-113-11
Test Date: March 1, 2010
Expiration Date: March 1, 2014
Test Method: ASTM E90 - Version 2009; ASTM E1425 – Version 2007
Test Results: Sound Transmission Class (STC): **35**
Outdoor-Indoor Transmission Class (OITC): **31**

Note: The manufacturer posted on this Acoustical Performance Certification Listing is a participant in good-standing in the Architectural Testing Acoustical Performance Certification Program. The products listed have been verified by Architectural Testing during unannounced manufacturing site audits. This Acoustical Performance Certification Listing is not an endorsement of the manufacturer or products listed herein.



ACOUSTICAL PERFORMANCE RATING
CERTIFICATION PROGRAM
ATI-AA676

Acoustical Performance Certification Program

Certified Product List for:

Company: **Graham Architectural Products Corporation**

Product : **Series/Model:** V0800
Type: Sliding Glass Door
Size Tested: 71.9" by 79.7"
Glazing: 1 3/8" IG (7/16" laminated exterior, 11/16" air space, 1/4" tempered interior)
Referenced Report: Architectural Testing, Inc. 98709.02-113-11
Test Date: March 23, 2010
Expiration Date: March 23, 2014
Test Method: ASTM E90 - Version 2009; ASTM E1425 – Version 2007
Test Results: Sound Transmission Class (STC): **38**
Outdoor-Indoor Transmission Class (OITC): **33**

Note: The manufacturer posted on this Acoustical Performance Certification Listing is a participant in good-standing in the Architectural Testing Acoustical Performance Certification Program. The products listed have been verified by Architectural Testing during unannounced manufacturing site audits. This Acoustical Performance Certification Listing is not an endorsement of the manufacturer or products listed herein.